

\$599,900 - 2405 Brandon Way, Nanaimo

MLS® #1011575

\$599,900

2 Bedroom, 2.00 Bathroom, 1,271 sqft

Residential

N/A, Nanaimo, BC

Well priced 1271sf, 2 bedroom and den patio home close to parks, shopping, and bus routes. This popular pet-friendly development was constructed in 2011 and has many modern features such as laminate flooring, contemporary light and plumbing fixtures, and an open plan for the dining, living, and peninsula kitchen. With 10' ceilings and French doors and a corner window onto the covered rear deck, natural light will add year-round warmth. The primary bedroom offers a walk-through closet into a 3 piece (shower) ensuite. The 2nd bedroom is ideal for guests and a den gives you that coveted extra space for a 'work from home' need or simply a space for your TV, computer, or gym equipment. The laundry room flows through to the impressive 20' x 18'10" double garage. The home features an over height crawls space, ideal for the extra storage every household desires. All measurements are approximate and should be verified if important.

Built in 2011

Essential Information

MLS® #	1011575
Price	\$599,900
Bedrooms	2
Bathrooms	2.00
Square Footage	1,271



Year Built	2011
Type	Residential
Sub-Type	Row/Townhouse
Style	Contemporary
Status	Active

Community Information

Address	2405 Brandon Way
Area	Na Diver Lake
Subdivision	N/A
City	Nanaimo
County	Nanaimo, City of
Province	BC
Postal Code	V9T 0G2

Amenities

Parking Spaces	25
Parking	Garage Double
# of Garages	2
# of Kitchens	1

Interior

Heating	Baseboard, Electric
Cooling	None
# of Stories	1

Exterior

Exterior Features	Balcony/Deck
Roof	Asphalt Shingle
Construction	Frame Wood
Foundation	Poured Concrete

Additional Information

Date Listed	August 21st, 2025
Days on Market	54
Office	REMAX Professionals

Listing Details

Listing Office	REMAX Professionals
----------------	---------------------

MLS® property information is provided under copyright© by the Vancouver Island Real Estate Board and Victoria Real Estate Board. The information is from sources deemed reliable, but should not be relied upon without independent verification.